

# SCHNEIDER LABORATORIES GLOBAL

INCORPORATED

2512 W. Cary Street • Richmond, Virginia • 23220-5117  
804-353-6778 • 800-785-LABS (5227) • (FAX) 804-359-1475

*Over 25 Years of Excellence in Service and Technology*

AIHA/ELLAP 100527, ISO/IEC 17025, NVLAP 101150-0, VELAP 460135, NYELAP/NELAC 11413

## LABORATORY ANALYSIS REPORT

Asbestos Identification by EPA Method<sup>1</sup> 600/R-93/116

Using SLI A6

**ACCOUNT #:** 2957-12-802  
**CLIENT:** Jim Linville  
**ADDRESS:** 412 Deer Ridge Dr.  
Richmond, MO 64085

**DATE COLLECTED:**  
**DATE RECEIVED:** 5/11/2012  
**DATE ANALYZED:** 5/16/2012  
**DATE REPORTED:** 5/18/2012

**PROJECT NAME:** Hannibal, Missouri

**JOB LOCATION:**

**PROJECT NO.:** 1107-1 Carr

**PO NO.:**

**SampleType:** BULK

Client Sample No.	SLI Sample/ Layer ID	Sample Identification/ Layer Name	PLM Analysis Results	
			Asbestos Fibers	Other Materials
1-1	31457964	Floor Tile		
Layer 1:	Floor Tile Gray, Organically Bound		None Detected	100% NON FIBROUS MATERIAL
Layer 2:	Mastic Clear, Soft		None Detected	100% NON FIBROUS MATERIAL
1-2	31457965	Drywall		
Layer 1:	Drywall White, Powdery		None Detected	4% CELLULOSE FIBER 96% NON FIBROUS MATERIAL
1-3	31457966	Floor Tile		
Layer 1:	Floor Tile Gray, Organically Bound		None Detected	100% NON FIBROUS MATERIAL
Layer 2:	Mastic Clear, Soft		None Detected	100% NON FIBROUS MATERIAL
1-4	31457967	Floor Tile		
Layer 1:	Floor Tile Beige, Organically Bound		None Detected	100% NON FIBROUS MATERIAL

### Total Number of Pages in Report: 2

Results relate only to samples as received by the laboratory.

Visit [www.slabinc.com](http://www.slabinc.com) for current certifications.

*Samples analyzed by the EPA Test Method are subject to the limitations of light microscopy including matrix interference. Gravimetric reduction and correlative analyses are recommended for all non-friable, organically bound materials. This method has a reporting limit of 1% or greater. Visual estimation contains an inherent range of uncertainty. This report must not be reproduced except in full with the approval of the lab, and must not be used to claim NVLAP or other gov't agency endorsement.*

Client Sample No.	SLI Sample/ Layer ID	Sample Identification/ Layer Name	PLM Analysis Results	
			Asbestos Fibers	Other Materials
Layer 2:	Mastic Clear, Soft		None Detected	100% NON FIBROUS MATERIAL
1-5	31457968	Roofing		
Layer 1:	Roofing Black/Silver, Bituminous		3% CHRYSOTILE	97% NON FIBROUS MATERIAL

Analyst: **MOHAMMED B. HASHIM**Reviewed By: **Reel Hashim, Analyst****Total Number of Pages in Report: 2**

Results relate only to samples as received by the laboratory.

Visit [www.slabinc.com](http://www.slabinc.com) for current certifications.

*Samples analyzed by the EPA Test Method are subject to the limitations of light microscopy including matrix interference. Gravimetric reduction and correlative analyses are recommended for all non-friable, organically bound materials. This method has a reporting limit of 1% or greater. Visual estimation contains an inherent range of uncertainty. This report must not be reproduced except in full with the approval of the lab, and must not be used to claim NVLAP or other gov't agency endorsement.*

